100226

E-10374

05002

05003

9978

1004652024-2

Illinois

Illinois

Kansas

Louisiana

Louisiana

Oklahoma



August 23, 2024

Doug Carney
Dunlap Lake Property Owners Association
P.O. Box 5

Edwardsville, IL 62025 TEL: (618) 791-1398

FAX:

RE: Dunlap Lake WorkOrder: 24081650

Dear Doug Carney:

TEKLAB, INC received 3 samples on 8/20/2024 10:31:00 AM for the analysis presented in the following report.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest as directed on the chain of custody. NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column. Unless otherwise documented within this report, Teklab Inc. analyzes samples utilizing the most current methods in compliance with 40CFR. All tests are performed in the Collinsville, IL laboratory unless otherwise noted in the Case Narrative.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

Allison Colin Project Manager

(618)344-1004 ex 43

aluson Colei

acolin@teklabinc.com



Report Contents

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association

Work Order: 24081650

Client Project: Dunlap Lake

Report Date: 23-Aug-24

This reporting package includes the following:

Cover Letter	1
Report Contents	2
Definitions	3
Case Narrative	5
Accreditations	6
Laboratory Results	7
Receiving Check List	10
Chain of Custody	Appended



Definitions

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24

Abbr Definition

- * Analytes on report marked with an asterisk are not NELAP accredited
- CCV Continuing calibration verification is a check of a standard to determine the state of calibration of an instrument between recalibration.
- CRQL A Client Requested Quantitation Limit is a reporting limit that varies according to customer request. The CRQL may not be less than the MDL.
 - DF Dilution factor is the dilution performed during analysis only and does not take into account any dilutions made during sample preparation. The reported result is final and includes all dilution factors.
 - DNI Did not ignite
- DUP Laboratory duplicate is a replicate aliquot prepared under the same laboratory conditions and independently analyzed to obtain a measure of precision.
- ICV Initial calibration verification is a check of a standard to determine the state of calibration of an instrument before sample analysis is initiated.
- IDPH IL Dept. of Public Health
- LCS Laboratory control sample is a sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes and analyzed exactly like a sample to establish intra-laboratory or analyst specific precision and bias or to assess the performance of all or a portion of the measurement system.
- LCSD Laboratory control sample duplicate is a replicate laboratory control sample that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MBLK Method blank is a sample of a matrix similar to the batch of associated sample (when available) that is free from the analytes of interest and is processed simultaneously with and under the same conditions as samples through all steps of the analytical procedures, and in which no target analytes or interferences should present at concentrations that impact the analytical results for sample analyses.
- MDL "The method detection limit is defined as the minimum measured concentration of a substance that can be reported with 99% confidence that the measured concentration is distinguishable from method blank results."
- MS Matrix spike is an aliquot of matrix fortified (spiked) with known quantities of specific analytes that is subjected to the entire analytical procedures in order to determine the effect of the matrix on an approved test method's recovery system. The acceptable recovery range is listed in the QC Package (provided upon request).
- MSD Matrix spike duplicate means a replicate matrix spike that is prepared and analyzed in order to determine the precision of the approved test method. The acceptable recovery range is listed in the QC Package (provided upon request).
- MW Molecular weight
- NC Data is not acceptable for compliance purposes
- ND Not Detected at the Reporting Limit
- NELAP NELAP Accredited
 - PQL Practical quantitation limit means the lowest level that can be reliably achieved within specified limits of precision and accuracy during routine laboratory operation conditions.
 - RL The reporting limit the lowest level that the data is displayed in the final report. The reporting limit may vary according to customer request or sample dilution. The reporting limit may not be less than the MDL.
 - RPD Relative percent difference is a calculated difference between two recoveries (ie. MS/MSD). The acceptable recovery limit is listed in the QC Package (provided upon request).
 - SPK The spike is a known mass of target analyte added to a blank sample or sub-sample; used to determine recovery deficiency or for other quality control purposes.
 - Surr Surrogates are compounds which are similar to the analytes of interest in chemical composition and behavior in the analytical process, but which are not normally found in environmental samples.
 - TIC Tentatively identified compound: Analytes tentatively identified in the sample by using a library search. Only results not in the calibration standard will be reported as tentatively identified compounds. Results for tentatively identified compounds that are not present in the calibration standard, but are assigned a specific chemical name based upon the library search, are calculated using total peak areas from reconstructed ion chromatograms and a response factor of one. The nearest Internal Standard is used for the calculation. The results of any TICs must be considered estimated, and are flagged with a "T". If the estimated result is above the calibration range it is flagged "ET"
- TNTC Too numerous to count (> 200 CFU)



Definitions

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24

Qualifiers

- # Unknown hydrocarbon
- C RL shown is a Client Requested Quantitation Limit
- H Holding times exceeded
- J Analyte detected below quantitation limits
- ND Not Detected at the Reporting Limit
 - S Spike Recovery outside recovery limits
 - X Value exceeds Maximum Contaminant Level

- B Analyte detected in associated Method Blank
- E Value above quantitation range
- I Associated internal standard was outside method criteria
- M Manual Integration used to determine area response
- R RPD outside accepted recovery limits
- T TIC(Tentatively identified compound)



Case Narrative

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24

Cooler Receipt Temp: 10.1 °C

Locations

	Collinsville		Springfield	Kansas City					
Address	5445 Horseshoe Lake Road	Address	3920 Pintail Dr	Address	8421 Nieman Road				
	Collinsville, IL 62234-7425		Springfield, IL 62711-9415		Lenexa, KS 66214				
Phone	(618) 344-1004	Phone	(217) 698-1004	Phone	(913) 541-1998				
Fax	(618) 344-1005	Fax	(217) 698-1005	Fax	(913) 541-1998				
Email	jhriley@teklabinc.com	Email	Email KKlostermann@teklabinc.com		jhriley@teklabinc.com				
	Collinsville Air		Chicago						
Address	5445 Horseshoe Lake Road	Address	1319 Butterfield Rd.						
	Collinsville, IL 62234-7425		Downers Grove, IL 60515						
Phone	(618) 344-1004	Phone	(630) 324-6855						
Fax	(618) 344-1005	Fax							
Email	EHurley@teklabinc.com	Email	arenner@teklabinc.com						



Accreditations

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24

State	Dept	Cert#	NELAP	Exp Date	Lab
Illinois	IEPA	100226	NELAP	1/31/2025	Collinsville
Illinois	IEPA	1004652024-2	NELAP	4/30/2025	Collinsville
Kansas	KDHE	E-10374	NELAP	4/30/2025	Collinsville
Louisiana	LDEQ	05002	NELAP	6/30/2025	Collinsville
Louisiana	LDEQ	05003	NELAP	6/30/2025	Collinsville
Oklahoma	ODEQ	9978	NELAP	8/31/2024	Collinsville
Arkansas	ADEQ	88-0966		3/14/2025	Collinsville
Illinois	IDPH	17584		5/31/2025	Collinsville
Iowa	IDNR	430		6/1/2026	Collinsville
Kentucky	UST	0073		1/31/2025	Collinsville
Mississippi	MSDH			4/30/2025	Collinsville
Missouri	MDNR	930		1/31/2025	Collinsville
Missouri	MDNR	00930		10/31/2026	Collinsville



Laboratory Results

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24

Lab ID: 24081650-001 Client Sample ID: Sample 1

Matrix: AQUEOUS Collection Date: 08/20/2024 9:05

Analyses	Certification	RL Qual	Result	Units	DF	Date Analyzed Batch
STANDARD METHODS 9223	B 23RD ED., COLILE					
E Coli	IDPH	1.0	4.1	MPN/100ml	1	08/20/2024 15:36 R352091
Total Coliform	IDPH	1.0	2419.6	MPN/100ml	1	08/20/2024 15:36 R352091
EPA 600 351.2						
Total Kjeldahl Nitrogen (as N)	NELAP	1.0	1.2	mg/L	1	08/22/2024 12:12 227409
EPA 600 365.4 (TOTAL)						
Phosphorus, Total (as P)	NELAP	0.100	0.196	mg/L	1	08/22/2024 12:11 227407



Laboratory Results

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24

Lab ID: 24081650-002 Client Sample ID: Sample 2

Matrix: AQUEOUS Collection Date: 08/20/2024 9:20

Analyses	Analyses Certification		Result	Units	DF	Date Analyzed Batch
EPA 600 351.2						
Total Kjeldahl Nitrogen (as N)	NELAP	1.0	1.2	mg/L	1	08/22/2024 12:38 227409
EPA 600 365.4 (TOTAL)						
Phosphorus, Total (as P)	NELAP	0.100	0.215	mg/L	1	08/22/2024 12:36 227407



Laboratory Results

http://www.teklabinc.com/

Client: Dunlap Lake Property Owners Association Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24

Lab ID: 24081650-003 Client Sample ID: Sample 3

Matrix: AQUEOUS Collection Date: 08/20/2024 9:30

Analyses	Certification	RL Qual	Result	Units	DF	Date Analyzed Batch
EPA 600 351.2						
Total Kjeldahl Nitrogen (as N)	NELAP	1.0	1.4	mg/L	1	08/22/2024 12:40 227409
EPA 600 365.4 (TOTAL)						
Phosphorus, Total (as P)	NELAP	0.100	0.246	mg/L	1	08/22/2024 12:39 227407



Client: Dunlap Lake Property Owners Association

Receiving Check List

http://www.teklabinc.com/

Work Order: 24081650

Client Project: Dunlap Lake Report Date: 23-Aug-24 Carrier: Employee Received By: PRS Lama Henson Completed by: Reviewed by: On: On: 20-Aug-24 20-Aug-24 Laura E Henson Ellie Hopkins Chain of custody Extra pages included 0 Pages to follow: Shipping container/cooler in good condition? Yes **V** No __ Not Present Temp °C 10.1 Type of thermal preservation? Ice 🗹 Blue Ice None Dry Ice Chain of custody present? **~** No L Yes Chain of custody signed when relinquished and received? **~** Yes No L **V** Chain of custody agrees with sample labels? No 🗀 Yes **~** Samples in proper container/bottle? Yes No 🗀 **V** No 🗌 Sample containers intact? Yes No 🗹 Sufficient sample volume for indicated test? Yes **✓** No \square All samples received within holding time? Yes NA 🗸 Field Lab Reported field parameters measured: Yes 🗸 No 🗌 Container/Temp Blank temperature in compliance? When thermal preservation is required, samples are compliant with a temperature between 0.1°C - 6.0°C, or when samples are received on ice the same day as collected. No VOA vials 🗸 Water - at least one vial per sample has zero headspace? Yes 🗌 No 🗀 No TOX containers Water - TOX containers have zero headspace? Yes No 🗌 Yes 🗹 No 🗌 Water - pH acceptable upon receipt? NA 🗸 NPDES/CWA TCN interferences checked/treated in the field? Yes No 🗀 Any No responses must be detailed below or on the COC.

pH strip #96651. - Ihenson - 8/20/2024 11:00:35 AM

Sample #2 and #3 were received with insufficient volume for total coliform. Sample analysis will not be performed. Client was notified. LH 08/20/2024

CHAIN OF CUSTODY

pg. ___ of ___ Work order # 240816.50

TEKLAB, INC. 5445 Horseshoe Lake Road - Collinsville, IL 62234 - Phone: (618) 344-1004 - Fax: (618) 344-1005

01:- 4	Dunian Lake Proc	erty Owners Associa	tion						T	Sai	mpl	es ·	on:	17	ICE		BLU	EICE		NO IC	Έ	/ĉ		°C	njeromotyje L	LTG#	t E	5	#COMMO
Client:	P.O. Box 5				•	***************************************	,,,, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>		- [Dro	rco. h.	ver	l in	<u>ア</u>	LAB	N	TIEL	D	، منب	, =	FO	*/			ONL			<u> </u>	******
Address:	62025							-		o No			* 5.000		, ,	 વિધિ					100			<u> </u>	<u>-</u>				
City / State	Doug Carney			(1	318)	791-1	398		-	Lai) ine	Jies	Š		*	14.~	g uu Dr a	(120											
Contact:	doug.carney@gmail.com		hone:						-							,	ファ			186 (CAN)	e a sind posses		1.00 × 10.00					ACCOMPANY N	No South
E-Mail:	doug.camey@gman.com		ax:	_			·····		_]	Clie	nt C	Con	ıme	ents	::														
Are these sample: Are there any requ	s known to be involved in li s known to be hazardous? Jired reporting limits to be	If yes, include details met on the requested	of the ha	zard.					0														·						
	ent section. Yes		le Colle						ᆛ	·	MA [*]	TDI						ILID		TST A	1414	Week	e oc		ESTE	anne	messack (CA)	esmaladoris CONS.	Section, 1990
1 \ 1	Name/Number	Doug C			'S N	iame	,		-	_				6				טאו	IUA	15 /	IVAL	. 131	3 KE	.QUE	1316		Company Communication Communic	teraner in the	**************************************
Result	s Requested	Billing Instruct			Тур	e of	Conta	iners	7			S	pec	rot	iu				20004440000		Parameter (V PRESS)						(Company of the Company)		
Standard	1-2 Day (100% Surcharge) 3 Day (50% Surcharge)	Daniel Bo		HNO3	NaO	H2SO	МеОН	NaHS	Adueous	Drinking Water	Soil	Sludge	Special Waste	Groundwater	:. Coli	Phos	TKN			and the state of t					a produce de la constanta de l		WATERICONOMISM COFFERENCY	\$;bbb0000000000000000000000000000000000	
Lab Use Only	Sample Identification	Date/Time Sam	pled	7 3		4	=	24	Ö	ter			te	er					The state of the s		and the second					***************************************	(alexanders)		Samanan
48160-001	Samole	0905 821	5/24						λ						X	X	\times								and the second	To the same of the	and the same of th		
002	Sanole 2	0920 8/2	0/24						λ	7	T				X	\times	\times							$\neg \neg$	Continue popular				
ω3	1/2	0930 8/2	1374	十			1		7	\dagger		T			X	×	X							\neg	-	1			
	Samples	- 6/-	7,5/	+		\neg	+-		┪	┪	+-	┢	<u> </u>			<u> </u>			-							-	1	-	
<u></u>	,		-	-	\vdash	-		-	+	+	+	-		-										\dashv		-		\dashv	
				+				_	+	_ -	╄	-	_					\longrightarrow											····
								\perp	_			<u> </u>	_																
																			***************************************	adaveleiteivivele					مناسند		www.		
				1					T		1	Τ	Ī												-				-
				+					十	十	+-	╁	\vdash														一十	_	,
	Relinquished By Date/Time 8(20/24 /0:31				十				1	Re	ceiv	ed B	V			ermanas			***********	Da	te/Tir	me	***************************************	Constitution of					
							1		T	V	(M)	0.4	10	5				************			15	3707	9/4	V		10	! • 	1	ALCOHOLS:
	len		,	 	16	حر	(十	<u> </u>		سلا	<u> </u>	//			······································				1	1/24	× 134	-(<u>, , , , , , , , , , , , , , , , , , , </u>		···········	,
	1 4				·				+				U		. —						-								
					<u></u>				+-												-								, <u>.</u>
									1												1								